1. The amendment after final filed on September 10, 2010 has been entered.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Roland E. Long on September 14, 2010.

In claim 1, line 14, after "operating mechanism" insert - - by an intermittent rotary coupling - -.

- 3. Claims 1-8 and 15-20 are allowed.
- 4. The drawings were received on September 10, 2010. These drawings are accepted by the Examiner.
- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure: Kua et al. (FIG. 3) and Blaschke (FIG. 1).
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Vinh T. Luong whose telephone number is 571-272-7109. The examiner can normally be reached on Monday Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Ridley can be reached on 571-272-6917. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/542,274 Page 3

Art Unit: 3656

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Vinh T Luong/

Primary Examiner, Art Unit 3656